

UNIVERZITET U SARAJEVU – FAKULTET ZDRAVSTVENIH STUDIJA**Predmet: Disfunkcija ljudskog organizma****Akadska 2025/26. godina****II semestar – svi studijski programi****REZULTATI ZAVRŠNOG ISPITA ODRŽANOG 30.06.2026. GODINE**

Redni broj	Broj indeksa	MCQ Test	Praktični ispit	Ukupan broj bodova	Konačna ocjena
1.	1380/25-L	22,8	7,5		
2.	1849/25-F	34,2	4,5		
3.	161/25-N	NP	NP		
4.	1636/25-O	30,4	8,5		
5.	675/25-S	26,6	17		
6.	682/25-S	22,8	18		
7.	134/25-N	NP	NP		
8.	153/25-N	NP	NP		
9.	1555/23-R	45,6 15.9.2025. godine	2		
10.	673/25-S	26,6	6,0		
11.	692/25-S	41,8	6,5		
12.	1378/25-L	26,6	4		
13.	1648/25-R	30,4	10,5		
14.	1618/25-O	NP	NP		
15.	1815/24-F	49,4	8		
16.	1824/24-F	11,4	13,2 15.07.2025.godine		
17.	87/23-B	38	11,5		
18.	113/24-B	38	9,5		

19.	1359/24-L	57 15.07.2025.godine	13,5	70,5	
20.	1617/25-O	68,4	19	87,4	
21.	1631/25-R	49,4	13,5	62,9	
22.	1272/22-L	NP	NP		
23.	139/25-B	22,8	2,5		
24.	1381/25-L	26,6	5		
25.	1864/25-F	38	15,5		
26.	1627/25-R	38	17,5		
27.	1577/23-R	7,6	/		
28.	1605/24-O	NP	NP		
29.	1868/25-F	41,8	11		
30.	1299/23-L	41,8	15	56,8	
31.	1638/25-R	34,2	16		
32.	1382/25-L	41,8	9		
33.	1371/25-L	41,8	20	61,8	
34.	1617/24-R	64,6	14	78,6	
35.	84/23-B	60,8	14	74,8	
36.	1647/25-R	30,4	13,2		
37.	677/25-S	60,8	19	79,8	
38.	1402/25-L	68,4	18	86,4	
39.	142/25-B	NP	NP		
40.	1367/24-L	15,2	0		
41.	138/25-B	68,4	13,2	81,6	
42.	679/25-S	22,8	13,2		
43.	143/25-B	45,6	9,5		
44.	96/23-N	22,8	/		
45.	641/24-S	26,6	14,8 15.09.2025.godine		

46.	1345/24-L	41,8	17 01.09.2025.godine	58,8	
47.	155/25-N	41,8			
48.	1880/25-F	19	1		
49.	1850/25-F	68,4	10		
50.	1649/25-R	60,8	15,5		
51.	1636/25-R	7,6	11		
52.	1604/24-O	41,8	/		
53.	1607/24-O	26,6	18,5		
54.	1665/25-R	NP	NP		
55.	693/25-S	19	0		
56.	1848/25-F	19	16		
57.	681/25-S	41,8	4		
58.	1388/25-L	30,4	13,5		
59.	1606/24-O	38	15,5 01.09.2025.godine		
60.	1594/24-O	NP	NP		
61.	112/24-B	11,4	15,6 15.09.2025. godine		
62.	158/25-N	NP	NP		
63.	1624/25-O	22,8	3,5		
64.	634/23-S	NP	NP		
65.	1660/25R	60,8	19	79,8	
66.	127/24-B	NP	NP		
67.	1628/25-O	15,2	0		
68.	1597/24-O	30,4	9,5		
69.	1645/25-O	3,8	0		
70.	125/24-N	19	13,4		

			15.09.2025. godine		
71.	1650/25-R	30,4	7,5		
72.	132/25-B	26,6	3		
73.	1844/24-F	41,8 01.09.2026.godine	9		
74.	1373/25-L	22,8	6		
75.	1619/25-O	26,6	9,5		
76.	1637/25-R	19	12		
77.	1394/25-L	38	3		
78.	1632/25-R	26,6	1,5		
79.	1651/25-R	19	0,5		
80.	668/24-S	60,8	13,2 01.07.2025.godine	74	
81.	1625/24-R	NP	NP		
82.	690/25-S	3,8	0		
83.	1610/24-R	41,8 15.07.2026.godine	10		
84.	1871/25-F	38	9,5		
85.	1856/25-F	11,4	0		
86.	1622/25-O	7,6	0		
87.	1338/24-L	64,6	16	80,6	
88.	689/25-S	41,8	18	59,8	
89.	1661/25-R	34,2	12		
90.	686/25-S	26,6	0		
91.	1830/24-F	11,4	1		
92.	1633/25-R	68,4	20	88,4	
93.	1653/25-R	34,2	9,5		
94.	1639/25-O	26,6	1,5		

95.	1623/25-O	26,6	5,5		
96.	1872/25-F	68,4	21	89,4	
97.	1626/25-O	22,8	6,8		
98.	1635/25-R	38	5		
99.	1873/25-F	19	7		
100.	1613/24-R	19	14.5 15.09.2025. godine		
101.	140/25-B	41,8	2		
102.	1395/25-L	26,6	0,5		
103.	145/25-B	30,4	8		
104.	640/24-S	1,5	/		
105.	1643/25-R	45,6	19	64,6	
106.	1640/25-R	30,4	10,5		
107.	138/25-N	26,6	11		
108.	1858/25-F	NP	NP		
109.	1652/25-R	11,4	21		
110.	160/25-N	30,4	11		
111.	1629/25-R	34,2	16		
112.	142/25-N	19	14		
113.	1847/25-F	38	16		
114.	695/25-S	26,6	0		
115.	1866/25-F	49,4	13,2	62,6	
116.	1599/24-O	NP	NP		
117.	150/25-B	22,8	9		
118.	1353/24-L	22,8	19 01.09.2025.godine		
119.	1390/25-L	53,2	21	74,2	
120.	115/24-N	22,8	0		

121.	1841/24-F	34,2	13,2 01.09.2025. godine		
122.	1643/25-O	30,4	15		
123.	1852/25-F	41,8	5,5		
124.	145/25-N	19	7		
125.	1392/25-L	64,6	15	79,6	
126.	1662/25-R	68,4	13,2	81,6	
127.	674/25-S	68,4	21	89,4	
128.	1655/25-R	NP	NP		
129.	653/24-S	68,4	13,5 01.07.2025. godine	81,9	
130.	1885/25-F	7,6	2		
131.	1375/25-L	38	14		
132.	141/25-B	26,6	0		
133.	1384/25-L	34,2	13,2		
134.	1883/25-F	38	10		
135.	1876/25-F	45,6	18	63,6	
136.	646/24-S	38	1,5		
137.	663/24-S	19	13,2 15.07.2025.godine		
138.	1862/25-F	15,2	7		
139.	137/25-B	34,2	17		
140.	1596/24-R	26,6	15,6 15.09.2026.godine		
141.	1644/25-O	57	15	72	
142.	1351/24-L	45,6	16 15.07.2025.godine	61,6	
143.	1366/24-L	68,4	23	91,4	

144.	1400/25-L	68,4	4		
145.	671/25-S	7,6	15		
146.	126/24-B	68,4	13,5 15.07.2025.godine	81,9	
147.	683/25-S	68,4	19,5	87,9	
148.	1612/24-R	NP	NP		
149.	1855/25-F	30,4	1,5		
150.	147/25-N	22,8	5		
151.	149/25-B	45,6	1,5		
152.	1854/25-F	30,4	10		
153.	110/24-B	53,2	11,5		
154.	1639/25-R	22,8	8,5		
155.	685/25-S	3,8	4		
156.	124/24-N	60,8	19,5	80,3	
157.	1387/25-L	60,8	17	77,8	
158.	114/24-N	NP	NP		
159.	105/24-N	57	13,4 15.09.2025.godine	70,4	
160.	1632/25-O	26,6	13,5		
161.	125/24-B	/	10		
162.	1620/24-R	30,4	13,2 15.07.2025.godine		
163.	684/25-S	53,2	0		
164.	116/24-B	15,2	14		
165.	1658/25-R	34,2	15,5		
166.	139/25-N	22,8	11,5		
167.	143/25-N	22,8	7		
168.	1863/25-F	60,8	11		
169.	1635/25-O	38	16		

170.	1633/25-O	68,4	15	83,4	
171.	1608/24-R	45,6 15.07.2025.godine	8,0		
172.	1641/25-R	53,2	17	70,2	
173.	146/25-N	26,6	14		
174.	1785/23-F	38	/		
175.	1853/25-F	68,4	17	85,4	
176.	672/25-S	22,8	0,5		
177.	150/25-N	34,2	6,5		
178.	1399/25-L	NP	NP		
179.	108/24-B	41,8	18,8 15.09.2025. godine	60,6	
180.	1869/25-F	38	14		
181.	1875/25-F	64,6	14	78,6	
182.	1376/25-L	57	6,5		
183.	1845/24-F	22,8	13,2		
184.	651/24-S	60,8	13,2 15.07.2025.godine	74	
185.	1859/25-F	64,6	18,5	83,1	
186.	1362/24-L	11,4	17,6 15.09.2026. godine		
187.	694/25-S	53,2	7		
188.	1874/25-F	7,6	10,5		
189.	135/25-B	68,4	20	88,4	
190.	1882/25-F	38	11,5		
191.	1391/25-L	64,6	19	83,6	
192.	1588/24-O	53,2	8,5		
193.	1634/25-R	30,4	12		

194.	159/25-N	NP	NP		
195.	1637/25-O	NP	NP		
196.	1642/25-O	30,4	0		
197.	661/24-S	68,4	18 15.07.2025.godine	86,4	
198.	106/24-N	11,4	13,2 15.07.2025.godine		
199.	1829/24-F	NP	NP		
200.	1886/25-F	22,8	0		
201.	1383/25-L	7,6	0		
202.	1881/25-F	38	7		
203.	148/25-N	NP	NP		
204.	1631/25-O	49,4	2		
205.	1842/24-F	41,8	7		
206.	1357/24-L	30,4	20 15.09.2025.godine		
207.	1396/25-L	15,2	9		
208.	1659/25-R	0	0		
209.	1397/25-L	15,2	8		
210.	1626/25-R	60,8	0		
211.	1642/25-R	22,8	11		
212.	1370/25-L	49,4	9,5		
213.	680/25-S	7,6	0		
214.	1369/25-L	30,4	1,5		
215.	1372/25-L	11,4	14		
216.	1656/25-R	38	0		
217.	148/25-B	34,2	0,5		
218.	1865/25-F	53,2	12		
219.	1645/25-R	38	9		

220.	154/25-N	68,4	11,5		
221.	1654/25-R	45,6	12,5		
222.	140/25-N	41,8	13,5	55,3	
223.	1851/25-F	15,2	17		
224.	1628/25-R	57	13,2	70,2	
225.	1599/24-R	15,2	13,2		
226.	1884/25-F	34,2	19		
227.	133/25-B	30,4	0		
228.	120/24-N	30,4	3		
229.	1364/24-L	38	/		
230.	687/25-S	NP	NP		
231.	147/25-B	22,8	14,5		
232.	1630/25-R	15,2	13,2		
233.	1620/25-O	15,2	0		
234.	688/25-S	68,4	5		
235.	1638/25-O	30,4	6		
236.	129/24-B	15,2	0		
237.	1379/25-L	30,4	3,5		
238.	131/25-B	19	9,5		
239.	1657/25-R	68,4	17,5	85,9	
240.	1621/25-O	53,2	0		
241.	137/25-N	68,4	14,5	82,9	
242.	1823/24-F	45,6 15.07.2025.godine	16	61,6	
243.	1320/23-L	19	13,2 01.07.2025.godine		
244.	162/25-N	19	17		
245.	1877/25-F	34,2	2,0		
246.	1624/24-R	19	15		

			15.09.2025.godine		
247.	134/25-B	38	5,5		
248.	1666/25-R	49,4	0		
249.	1377/25-L	0	Imala bubicu		
250.	1870/25-F	68,4	2,5		
251.	1401/25-L	22,8	13,2		
252.	1356/24-L	30,4			
253.	1821/24-F	15,2	8,5		
254.	92/23-B	NP	NP		
255.	1804/23-F	22,8	0		
256.	657/24-S	68,4	13,5 01.07.2025.godine	81,9	
257.	1646/25-R	30,4	0		
258.	1644/25-R	34,2	4		
259.	1888/25-F	7,6	7		
260.	1860/25-F	38	2,0		
261.	1630/25-O	15,2	6		
262.	123/24-B	26,6	5,5		
263.	156/25-N	NP	NP		
264.	1615/24-R	34,2	2,5		
265.	152/25-N	26,6	0		
266.	678/25-S	49,4	6,5		
267.	1879/25-F	45,6	0		
268.	1663/25-R	38	3		
269.	1887/25-F	11,4	0		
270.	1368/25-L	0	11,5		
271.	1393/25-L	53,2	13,2	66,4	
272.	1389/25-L	15,2	0,5		
273.	676/25-S		Imala bubicu		

274.	1861/25-F	26,6	7		
275.	144/25-B	22,8	10,3		

NAPOMENA: Studenti imaju pravo na uvid u rad u prostorijama Univerziteta u Sarajevu – Medicinskog fakulteta (Katedri za patofiziologiju) koji će se održati u četvrtak, 09.07.2026.godine od 11:00 do 12: 00 sati.

Indekse za upis ocjena dostaviti u dogovoru sa odgovornim nastavnikom.

FORMIRANJE OCJENE	
Broj bodova	Konačna ocjena
55-64	6
65-74	7
75-84	8
85-94	9
95-100	10

Šef Katedre za patofiziologiju:
Prof. dr. Esad Pepić

Odgovorni nastavnik:
Prof. dr. Damir Šečić